

# MATERIAL SAFETY DATA SHEET



Emergency Phone: 800-992-5994  
Dow AgroSciences LLC  
Indianapolis, IN 46268

Effective Date: 5/10/05  
Product Code: 88946  
MSDS: 004788

## TURFLON\* ESTER HERBICIDE

### 1. PRODUCT AND COMPANY IDENTIFICATION:

**PRODUCT:** Turflon\* Ester Herbicide

#### COMPANY IDENTIFICATION:

Dow AgroSciences LLC  
9330 Zionsville Road  
Indianapolis, IN 46268-1189

### 2. COMPOSITION/INFORMATION ON INGREDIENTS:

Triclopyr ((3,5,6-trichloro-2-pyridinyl)oxy) acetic acid, butoxy ethyl ester	CAS# 064700-56-7	61.6%
Balance, total, including: Kerosene	CAS# 008008-20-6	38.4%

### 3. HAZARDOUS IDENTIFICATIONS:

#### EMERGENCY OVERVIEW

Amber liquid. Combustible. Kerosene-like odor. May cause eye and skin irritation. Toxic to aquatic organisms.  
**EMERGENCY PHONE NUMBER:** 800-992-5994

### 4. FIRST AID:

**EYES:** Flush eyes thoroughly with water for several minutes. Remove contact lenses after initial 1-2 minutes and continue flushing for several minutes. If affects occur, consult a physician, preferably an ophthalmologist.

**SKIN:** Wash skin with plenty of water.

**INGESTION:** Do not induce vomiting. Call a physician and/or transport to emergency facility immediately.

**INHALATION:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, oxygen should be administered by qualified personnel. Call a physician or transport to a medical facility.

**NOTE TO PHYSICIAN:** The decision of whether to induce vomiting or not should be made by a physician. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

### 5. FIRE FIGHTING MEASURES:

**FLASH POINT:** 147°F (64°C)  
**METHOD USED:** TCC

#### FLAMMABLE LIMITS

LFL: Not determined  
UFL: Not determined

**EXTINGUISHING MEDIA:** Water fog, foam, CO<sub>2</sub>, and dry chemical.

**FIRE & EXPLOSION HAZARDS:** Combustible. Toxic, irritating vapors may be produced if product is involved in fire.

**FIRE-FIGHTING EQUIPMENT:** Use positive pressure self-contained breathing apparatus and full protective clothing.

### 6. ACCIDENTAL RELEASE MEASURES:

**ACTION TO TAKE FOR SPILLS/LEAKS:** Keep out of streams and domestic water supplies. Absorb small spills in inert material such as sand. For large spills, dike the area and contact Dow AgroSciences at 800-992-5994.

### 7. HANDLING AND STORAGE:

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Keep out of reach of children. Do not use near heat or open flame. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes, skin and clothing. Avoid breathing mists and vapors. Avoid contamination of food. Store above 28°F or agitate before use. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. For handling relative to end-use of this product, read the product label for further information concerning the use of personal protective equipment (PPE) under the Worker Protection Standard of 1993. Store in the original container.

# MATERIAL SAFETY DATA SHEET



Emergency Phone: 800-992-5994  
Dow AgroSciences LLC  
Indianapolis, IN 46268

## TURFLON\* ESTER HERBICIDE

Effective Date: 5/10/05  
Product Code: 88946  
MSDS: 004788

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

These precautions are suggested for conditions where a potential for exposure exists. Emergency conditions may require additional precautions.

#### EXPOSURE GUIDELINE(S):

3,5,6-Trichloro-2-pyridinyloxyacetic acid, Dowanol EB ester: Dow AgroSciences Industrial Hygiene Guide is 2 mg/M<sup>3</sup> as acid equivalent, Skin.  
Kerosene: Dow AgroSciences Industrial Hygiene Guide is 10 mg/M<sup>3</sup>.

A "skin" notation following the exposure guideline refers to the potential for dermal absorption of the material. It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimize dermal exposures should be considered.

**ENGINEERING CONTROLS:** Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

#### RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

**RESPIRATORY PROTECTION:** Atmospheric levels should be maintained below the exposure guidelines. When respiratory protection is required for certain operations, use a NIOSH approved air-purifying respirator.

**SKIN PROTECTION:** Use protective clothing chemically resistant to this material. Selection of specific items such as faceshield, gloves, boots, apron, or full body suit will depend on operation. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly.

**EYE/FACE PROTECTION:** Use safety glasses.

**APPLICATORS AND ALL OTHER HANDLERS:** Refer to the product label for personal protective clothing and equipment.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**BOILING POINT:** >302°F (150°C) initial  
**VAPOR PRESSURE:** 0.1 mm @ 37.8°C (kerosene)  
**VAPOR DENSITY:** >1  
**SOLUBILITY IN WATER:** Emulsifies  
**SPECIFIC GRAVITY:** 1.08  
**APPEARANCE:** Amber liquid  
**ODOR:** Kerosene-like

### 10. STABILITY AND REACTIVITY:

**STABILITY:** (CONDITIONS TO AVOID) Combustible. Avoid sources of ignition if temperature is near or above flash point. Stable under normal storage conditions.

**INCOMPATIBILITY:** (SPECIFIC MATERIALS TO AVOID) Acid, base, and oxidizing material.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Nitrogen oxides, hydrogen chloride, and phosgene may result under fire conditions.

**HAZARDOUS POLYMERIZATION:** Not known to occur.

### 11. TOXICOLOGICAL INFORMATION:

**POTENTIAL HEALTH EFFECTS:** This section includes possible adverse effects, which could occur if this material is not handled in the recommended manner.

**EYE:** May cause slight temporary eye irritation. Corneal injury is unlikely.

**SKIN:** Prolonged or repeated contact may cause skin irritation. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. With the dilute mix, no allergic skin reaction is expected. Prolonged skin contact is unlikely to result in absorption of harmful amounts. Repeated skin contact may result in absorption of harmful amounts. The LD<sub>50</sub> for skin absorption is >2000 mg/kg (rabbits) and >5000 mg/kg (rats).

# MATERIAL SAFETY DATA SHEET



Emergency Phone: 800-992-5994  
Dow AgroSciences LLC  
Indianapolis, IN 46268

## TURFLON\* ESTER HERBICIDE

Effective Date: 5/10/05  
Product Code: 88946  
MSDS: 004788

**INGESTION:** Low toxicity if swallowed. The oral LD<sub>50</sub> for rats is 1581 mg/kg (males) and 1338 mg/kg (females). Small amounts swallowed incidental to normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or even death due to chemical pneumonia.

**INHALATION:** Excessive exposure may cause irritation to upper respiratory tract (nose and throat). Kerosene may cause central nervous system effects.

### **SYSTEMIC (OTHER TARGET ORGAN) EFFECTS:**

Triclopyr BEE, in animals, effects have been reported on the following organs: blood, kidney, and liver.

**CANCER INFORMATION:** Triclopyr BEE did not cause cancer in laboratory animals. In a lifetime animal dermal carcinogenicity study, an increased incidence of skin tumors was observed when kerosene was applied at doses that also produced skin irritation. This response was similar to that produced in skin by other types of chronic chemical/physical irritation. No increase in tumors was observed when non-irritating dilutions of kerosene were applied at equivalent doses, indicating that kerosene is unlikely to cause skin cancer in the absence of long-term continued skin irritation. In long-term animal studies with ethylene glycol butyl ether, small but statistically significant increases in tumors were observed in mice but not rats. The effects are not believed to be relevant to humans. If the material is handled in accordance with proper industrial handling, exposures should not pose a carcinogenic risk to man.

**TERATOLOGY (BIRTH DEFECTS):** For triclopyr BEE, birth defects are unlikely. Exposures having no effect on the mother should have no effect on the fetus. Did not cause birth defects in animals; other effects were seen in the fetus only at doses which caused toxic effects to the mother.

**REPRODUCTIVE EFFECTS:** Triclopyr BEE, in laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

**MUTAGENICITY:** For triclopyr BEE, in-vitro and animal mutagenicity studies were negative.

## 12. ECOLOGICAL INFORMATION:

### **ENVIRONMENTAL FATE:**

#### **MOVEMENT & PARTITIONING:**

Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Measured log octanol/water partition coefficient (Log Pow) is 4.09.

Log air/water partition coefficient (Log Kaw) is -4.0.

#### **DEGRADATION & PERSISTENCE:**

Biodegradation under aerobic static laboratory conditions is moderate (BOD<sub>20</sub> or BOD<sub>28</sub>/ThOD between 10 and 40%).

#### **ECOTOXICOLOGY:**

Material is highly toxic to aquatic organisms on an acute basis (LC<sub>50</sub>/EC<sub>50</sub> is between 0.1 and 1 mg/L in most sensitive species).

## 13. DISPOSAL CONSIDERATIONS:

**DISPOSAL METHOD:** If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws and regulations.

# MATERIAL SAFETY DATA SHEET



Emergency Phone: 800-992-5994  
Dow AgroSciences LLC  
Indianapolis, IN 46268

Effective Date: 5/10/05  
Product Code: 88946  
MSDS: 004788

## TURFLON\* ESTER HERBICIDE

### 14. TRANSPORT INFORMATION:

#### U.S. DEPARTMENT OF TRANSPORTATION INFORMATION

#### FOR ALL NON-BULK PACKAGES SHIPPED BY AIR, LAND OR WATER:

This material is not regulated for transport.

#### FOR BULK PACKAGES SHIPPED BY LAND:

COMBUSTIBLE LIQUID, N.O.S. (CONTAINS KEROSENE)/COMBUSTIBLE LIQUID/NA1993/PGIII

### 15. REGULATORY INFORMATION:

**NOTICE:** The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations.

#### U.S. REGULATIONS

**SARA 313 INFORMATION:** To the best of our knowledge, this product contains no chemical subject to SARA Title III Section 313 supplier notification requirements.

**SARA HAZARD CATEGORY:** This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

An immediate health hazard  
A delayed health hazard  
A fire hazard

**TOXIC SUBSTANCES CONTROL ACT (TSCA):** All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

**STATE RIGHT-TO-KNOW:** The following product components are cited on certain state lists as mentioned. Non-listed components may be shown in the composition section of the MSDS.

CHEMICAL NAME	CAS NUMBER	LIST
Kerosene	008008-20-6	PA1 NJ3

NJ3=New Jersey Workplace Hazardous Substance (present at greater than or equal to 1.0%).  
PA1=Pennsylvania Hazardous Substance (present at greater than or equal to 1.0%).

**OSHA HAZARD COMMUNICATION STANDARD:** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### **NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATINGS:**

Health	2
Flammability	2
Reactivity	1

**COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA, or SUPERFUND):** To the best of our knowledge, this product contains no chemical subject to reporting under CERCLA.

### 16. OTHER INFORMATION:

**MSDS STATUS:** Revised Sections: 3, 11, 13  
Reference: DR-0196-5102  
Replaces MSDS dated: 2/22/02  
Document Code: D03-086-003  
Replaces Document Code: D03-086-002

The Information Herein Is Given In Good Faith, But No Warranty, Express or Implied, Is Made. Consult Dow AgroSciences for Further Information.